Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer,
Yelahanka Division,
Ward No - 03.

Date : 09-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Vidyaranyapuracity/village Sambram College opp temple near Dated on 09-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SE marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 700 - 800 ft/mtrs. (II) 800 - 900 ft/mtrs.

(III) 900 - 1000 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 199 ft/mtrs.

Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, Water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer,
Yelahanka Division,
ward No-03.

Date : 09-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Vidyaranyapura city/village Vijaya Bank Layout #29 Dated on 09-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards NE marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 750 - 800 ft/mtrs. (II) 850 - 900 ft/mtrs.

(III) 900 - 1000 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 201 ft/mtrs.

Approx, yield expected may be around 2.5 to 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To, Assistant Executive Engineer
Yelahanka Division,
ward NO-03.

Date : 09-05-2022

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Vidyaranyapura city/village Jyothi Nagara Dated on 09-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SE marked by Clay Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 600 - 700 ft/mtrs. (II) 700 - 800 ft/mtrs.

(III) 800 - 900 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 198 ft/mtrs.

Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

(NAGARAJ MOKASHI)

SAVE ENVIRONMENT

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geohydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Assistant Executive Engineer,
Yelahanka Division,
ward NO-03.

Date : 09-05-2022

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging ..... city/village Chowdappa layout Dated on 09-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SE marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 550-650 ft/mtrs. (II) 650-730 ft/mtrs.

(III) 800-900 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 192 ft/mtrs.

Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water

SAVE ENVIRONMENT ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer
Yelahanka Division
Ward No-03.

Date : 10-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Aditya nagara city/village Aditya Nagara water tank Rd Dated on 10-05-2022 order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards NE marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 650 - 700 ft/mtrs. (II) 700 - 800 ft/mtrs.

(III) 850 - 950 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 208 ft/mtrs.

Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geohydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer,
Yelahanka Division,
Ward No-03.

Date : 10-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging ..... city/village Balaji Layout Dated on 10-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SE marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 750-800 ft/mtrs. (II) 850-900 ft/mtrs.

(III) 900-1000 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 192 ft/mtrs.

Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

(NAGARAJ MOKASHI)

SAVE ENVIRONMENT

ADOPT RAINWATER HARVESTING

Services : Ground Water location by Geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer,
Yelahanka Division,
ward NO-03.

Date : 10-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging ..... city/village ooty Convent school Road Dated on 10-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards ..NE.. marked by ..clear.. Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by ..Hard.. rock.

SOURCES EXTRACTED :

(I) Betwen ..800 - 850.. ft/mtrs. (II) ..850 - 950.. ft/mtrs.

(III) ..950 - 1050.. ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of ..201.. ft/mtrs.

Approx, yield expected may be around ..2.5 to 3 Inches.. GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer
Yelahanka Division,
ward NO-03.

Date : 10-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Allalsandra city/village Near Allalsandra Lake Dated on 10-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards NE marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 800-900 ft/mtrs. (II) 900-1000 ft/mtrs.

(III) 1000-1100 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 198 ft/mtrs.

Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer,
Yelahanka Division,
Ward No-03.

Date : 05-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Sai Nagara city/village Sai Nagara Phase-3 Dated on 05-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards NE marked by Clay Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 800-900 ft/mtrs. (II) 900 - 950 ft/mtrs.

(III) 950 - 1000 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 195 ft/mtrs.

Approx, yield expected may be around 3 Inchy GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Assistant Executive Engineer,
Yelahanka Division,
ward No-03.

Date : 05-05-2022

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging ..... city/village Viswanatha Nagara Dated on 05-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SE marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 600-700 ft/mtrs. (II) 700-800 ft/mtrs.

(III) 800-900 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of ..... ft/mtrs.

Approx, yield expected may be around ..... GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Assistant Executive Engineer
Yelahanka Division
ward No-03.

Date : 05-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging ..Attur.. city/village ..Attur village Govt school outside.. Dated on ..05-05-2022.. in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards ..SE.. marked by ..Clear.. Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by ..Hard.. rock.

SOURCES EXTRACTED :

(I) Betwen ..700-800.. ft/mtrs. (II) ..800-900.. ft/mtrs.

(III) ..900-1000.. ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of .....ft/mtrs.

Approx, yield expected may be around .....GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water

SAVE ENVIRONMENT ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Assistant Executive Engineer
Yelahanka Division
ward No-03

Date : 05-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging ..Attur.. city/village ..Attur village Govt School Inside.. Dated on ..05-05-2022.. in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards ..SE.. marked by ..Clear.. Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by ..Hard.. rock.

SOURCES EXTRACTED :

(I) Betwen ..750-850.. ft/mtrs. (II) ..850-950.. ft/mtrs.

(III) ..950-1000.. ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..to app depth of .. ft/mtrs. Below the ground level, casing pipe required be to app depth of ..ft/mtrs.
Approx, yield expected may be around ..GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

(NAGARAJ MOKASHI)

SAVE ENVIRONMENT

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Assistant Executive Engineer
Yelahanka Division
Ward No. 03.

Date : 05-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Vidyaranyapura city/village AMS Layout, 2nd Cross, Existing Borewell Dated on ..... in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SE marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 650 - 750 ft/mtrs. (II) 750 - 850 ft/mtrs.

(III) 850 - 900 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 210 ft/mtrs.

Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Assistant Executive Engineer
Yelahanka Division
Ward No-03

Date : 05-05-2022

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging ..... city/village Best County 2, 2nd main Road, Existing Borewell 2 Dated on ..... in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards ..... SE ..... marked by ..... Clear ..... Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by ..... Hard ..... rock.

SOURCES EXTRACTED :

(I) Betwen ..... 750 - 850 ..... ft/mtrs. (II) ..... 850 - 900 ..... ft/mtrs.

(III) ..... 900 - 950 ..... ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of ..... 207 ..... ft/mtrs.

Approx, yield expected may be around ..... 3 Inches ..... GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

(NAGARAJ MOKASHI)

SAVE ENVIRONMENT

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer
Yelahanka Division
ward No-03.

Date : 05-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Existin
Bettahalli city/village Bettahalli main Road, Near Ambhabavani Park, Dated on ..... in Borew
order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SE marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 800-900 ft/mtrs. (II) 900-1000 ft/mtrs.

(III) 1000-1050 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 270 ft/mtrs.

Approx, yield expected may be around 3 inches GPH.

Suggested to drill 4 1/2" / 6 1/2" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Driling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಯಲಹಂಕ ಉಪನಗರ ಉಪವಿಭಾಗ,

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Assistant Executive Engineer
Yelahanka Division,
Ward NO-02.

Date : 05-05-2022

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Kenchenahalli city/village Shyrik Vinari Layout, 8th main Rd dated on 05-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards NE marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 800 - 850 ft/mtrs. (II) 850 - 950 ft/mtrs.

(III) 950 - 1050 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 188 ft/mtrs.

Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Driling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

AEE-02

Asst. Executive Engineer
Yelahanka Sub. Division
(BBMP Ynk. Zn)

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Assistant Executive Engineer,
Yelahanka Division,
Ward No-02.

Date : 05-05-2022

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Kenchanehalli city/village Shanik vihari Layout, 6th main Rd Dated on 05-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SE marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 700-800 ft/mtrs. (II) 800-900 ft/mtrs.

(III) 1000 - 1100 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 201 ft/mtrs.

Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 1/2" / 6 1/2" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Asst. Executive Engineer
Yelahanka Sub. Division
(BBMP Ynk. Zn)

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer,
Yelahanka Division,
ward No-02

Date : 04-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Kenchanahalli city/village CRPF Residential Area Dated on 07-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SE marked by clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 700-800 ft/mtrs. (II) 800-900 ft/mtrs.

(III) 900-1000 ft/mtrs.

From the study of the above field observation, investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 185 ft/mtrs.
Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Driling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Asst. Executive Engineer
Yelahanka Sub. Division
(BBMP Ynk Zn)
Yelahanka, Bangalore

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer,
Yelahanka division,
ward No-02.

Date : 04-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Nagenahalli city/village Nagenahalli, 1st main Road Dated on 04-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SW marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 800 - 850 ft/mtrs. (II) 850 - 950 ft/mtrs.

(III) 950 - 1050 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 192 ft/mtrs.

Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Asst. Executive Engineer
Yelahanka Sub. Division
(BBMP Ynk Zn)
Yelahanka, Bangalore

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Exective Engineer,
Yelahanka Division,
Ward No-02.

Date : 04-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Nagenahalli city/village Nagenahalli Near Railway track Dated on 04-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SE marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 650 - 750 ft/mtrs. (II) 750 - 850 ft/mtrs.

(III) 850 - 950 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 195 ft/mtrs.

Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water

SAVE ENVIRONMENT ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Asst. Executive Engineer
Yelah Sub Division
Bangalore

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer
Yelahanka Division,
ward no-02

Date : 04-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Nagenahalli city/village Suryavamshi layout, near Doctor house Dated on 04-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SE marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 800-850 ft/mtrs. (II) 850-900 ft/mtrs.

(III) 900-1000 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 201 ft/mtrs.

Approx, yield expected may be around 2.5 to 3 Inches GPH.

Suggested to drill 4 1/2" / 6 1/2" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water

SAVE ENVIRONMENT ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

AEE-02

Asst. Executive Engineer
Yelahanka Sub. Division
(BBMP Ynk. Zn)
Yelahanka, Bangaloro

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer,
Yelahanka Division,
ward No-02.

Date : 04-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Nagenahalu city/village Suryavamshi Layout, 1st main Rd Dated on 0405-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SW marked by Clay Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 700-800 ft/mtrs. (II) 800-900 ft/mtrs.

(III) 900-1000 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 188 ft/mtrs.

Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 1/2" / 6 1/2" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water
SAVE ENVIRONMENT

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

AE-02

Asst. Executive Engineer
Yelahanka Sub Division
(BBMP Ynk. Zn)
Yelahanka, Bangalore

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer,
Yelahanka Division,
ward No-02.

Date : 04-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Nagenahalu city/village Near nagenahalu, Gund to Pu Dated on 04-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards ES marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 600-700 ft/mtrs. (II) 750-800 ft/mtrs.

(III) 800-900 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 185 ft/mtrs.

Approx, yield expected may be around 2.5 to 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Asst. Executive Engineer
Yelahanka Sub. Division
(BBMP Ynk. Zn)
Yelahanka, Bangalore

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Assistant Executive Engineer,
Yelahanka Division,
Ward No-02.

Date : 06-05-2022

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Harohalli city/village Harohalli near Nagesh house Dated on 06-05-2022 order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SE marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 700 – 800 ft/mtrs. (II) 800-900 ft/mtrs.

(III) 950 – 1050 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 188 ft/mtrs.

Approx, yield expected may be around 2-5 Inches GPH.

Suggested to drill $4\frac{1}{2}$" / $6\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water

SAVE ENVIRONMENT ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Clear To AEE-02

Asst. Executive Engineer
Yelahanka Sub. Division
(BBMP Ynk. Zn)
Yelahanka Bangalore

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer,
Yelahanka Division,
Ward No-02.

Date : 06-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Harohalli city/village ISRO layout, 1st main Road Dated on 06-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SE marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 800 - 850 ft/mtrs. (II) 900 - 1000 ft/mtrs.

(III) 1000 - 1050 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 201 ft/mtrs.
Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 1/2" / 6 1/2" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

AE-02

Asst. Executive Engineer
Yelahanka Sub. Division
(BBMP Ynk. Zn)
Yelahanka, Bangalore

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Assistant Executive Engineer,
Yelahanka Division,
Ward No-02.

Date : 06-05-2022

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Harohalu city/village ISRO Layout, 6th A Cross RD Dated on 06-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SW marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 550-650 ft/mtrs. (II) 700-800 ft/mtrs.

(III) 850-950 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 208 ft/mtrs.

Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water

SAVE ENVIRONMENT

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Asst. Executive Engineer
Yelahanka Sub. Division
(BBMP Ynk. Zn)
Yelahanka, Bangalore

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer,
Yelahanka Division,
Ward No-02.

Date : 05-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Harahalli city/village Naidu Layout, near Canjamma Temple dated on 06-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SW marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 600 - 700 ft/mtrs. (II) 750 - 850 ft/mtrs.

(III) 900 - 1000 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 204 ft/mtrs.

Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Driling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

AE-02

Asst. Executive Engineer
Yelahanka Sub. Division
(BBMP Ynk. Zn)
Yelahanka, Bangalore

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer,
Yelahanka Division,
ward No-02.

Date : 05-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Harohalli city/village Srinidhi Layout, 1st main Road Dated on 05-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SE marked by Clay Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 800-900 ft/mtrs. (II) 900-1000 ft/mtrs.

(III) 1000 - 1050 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 201 ft/mtrs.

Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 1/2" / 6 1/2" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water

SAVE ENVIRONMENT ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Yelahanka Sub Division
(BBMP Ynk. Zn)
Yelahanka, Bangalore

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer,
Yelahanka Division,
Ward NO-02.

Date : 05-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Harohalli city/village Harohalli 6thA Cross Dated on 05-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards NE marked by Clay Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 650 – 750 ft/mtrs. (II) 800 – 850 ft/mtrs.

(III) 1000 – 1100 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 204 ft/mtrs.

Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water

SAVE ENVIRONMENT

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision, Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Asst. Executive Engineer
Yelahanka Sub. Division
(BBMP Ynk. Zn)
Yelahanka, Bangalore

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
Assistant Executive Engineer,
Yelahanka Division,
ward No-02.

Date : 05-05-2022

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Kenchenahalli city/village Prakruthi Layout, 5th A Cross Dated on 05-05-2022 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SE marked by Clear Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 750-850 ft ft/mtrs. (II) 850-950 ft/mtrs.

(III) 950-1050 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling ..... to app depth of ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of 208 ft/mtrs.
Approx, yield expected may be around 3 Inches GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

SAVE ENVIRONMENT

(NAGARAJ MOKASHI)

ADOPT RAINWATER HARVESTING

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Asst. Executive Engineer
Yelahanka Sub. Division
(BBMP Ynk. Zn)
Yelahanka, Bangalore